

Table 1: Summary of rates by population (per 1000 people per year)

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW	
Referral	09-10	11	11	27	16	10	17	17	16	9	24	36	24	23	
	10-11	13	11	26	13	18	19	22	18	12	23	36	24	32	
Access (any clinical contact)	09-10	6	7	13	7	6	8	17	6	5	17	21	16	23	
	10-11	8	7	14	11	10	12	20	8	7	17	21	17	28	
Rate of achievement of Minimum clinically important difference	PHQ	2.1	2.4	4.2	1.7	2.2	2.6	3.5	2.3	2.8	6.8	7.8	6.3	5.1	
	GAD	09-10	2.3	2.5	4.5	1.8	2.4	2.8	3.6	2.7	3.2	7.0	8.1	6.7	5.6
	Both		1.7	1.9	3.3	1.4	1.8	2.0	2.6	1.9	2.4	5.6	6.2	5.2	3.9
	PHQ		2.3	1.8	2.8	2.4	2.7	2.9	2.9	2.8	2.3	5.2	6.8	5.7	4.1
	GAD	10-11	2.5	2.0	3.4	2.5	3.0	3.0	3.1	3.2	2.7	5.5	7.0	6.1	4.6
	Both		1.8	1.5	2.2	1.9	2.1	2.1	2.1	2.4	1.9	4.3	5.4	4.7	3.0

Table 2: Summary of proportions by estimated prevalence rates (per cent age range 16-74)

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW	
Referral	09-10	8%	8%	16%	13%	8%	10%	14%	9%	7%	14%	27%	19%	15%	
	10-11	10%	8%	15%	10%	14%	11%	18%	10%	9%	14%	28%	19%	20%	
Access (any clinical contact)	09-10	5%	5%	8%	7%	5%	5%	14%	3%	4%	11%	16%	13%	15%	
	10-11	6%	5%	8%	9%	8%	7%	16%	4%	5%	10%	16%	14%	18%	
Percentage achieving Minimum clinically important difference	PHQ	1.6%	1.7%	2.5%	1.3%	1.8%	1.5%	2.8%	0.7%	1.7%	4.1%	5.9%	4.9%	3.2%	
	GAD	09-10	1.7%	1.7%	2.6%	1.4%	1.9%	1.7%	2.9%	0.7%	2.0%	4.2%	6.1%	5.3%	3.6%
	Both		1.2%	1.2%	1.7%	0.9%	1.3%	1.2%	1.9%	0.5%	1.5%	3.2%	4.5%	3.8%	2.3%
	PHQ		1.7%	1.3%	1.6%	1.9%	2.1%	1.7%	2.3%	0.9%	2.0%	3.1%	5.1%	4.5%	2.6%
	GAD	10-11	1.8%	1.4%	2.0%	2.0%	2.4%	1.8%	2.5%	1.0%	2.3%	3.3%	5.2%	4.8%	2.9%
	Both		1.3%	0.9%	1.2%	1.3%	1.6%	1.0%	1.6%	0.6%	1.6%	2.6%	3.8%	3.4%	1.9%

Table 3: Summary of key indicators in October 2009 - 2010 & October 2010 – 2011 (referral to first clinical contact)

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW	
Number referred	09-10	6766	5533	5728	6850	2133	1879	6413	5745	1351	6106	15916	8012	3853	
	10-11	8309	5238	5571	5609	3817	2107	7969	6570	1745	6055	16173	8104	5246	
More than one referral	09-10	843	858	743	932	415	330	402	845	- ^x	863	2787	1150	262	
	10-11	428	339	249	182	201	113	433	530	- ^x	302	784	364	302	
Referral source	GP	54.4%	15.6%	88.8%	90.5%	91.3%	67.4%	^x 71.6%	99.0%	94.9%	6.9%	88.2%	75.9%	^x 94.1%	
	Self	09-10	5.3%	68.4%	6.1%	7.3%	0.3%	13.2%	25.2%	0.8%	2.9%	^x 86.8%	8.1%	16.0%	1.2%
	NHS*		39.6%	6.4%	3.3%	1.5%	5.8%	18.6%	2.1%	0.0%	1.7%	5.6%	2.8%	7.2%	1.7%
	Other		0.7%	9.6%	1.8%	0.8%	2.6%	0.9%	1.0%	0.1%	0.5%	0.8%	0.9%	0.9%	3.0%
	GP		58.2%	14.2%	83.2%	93.5%	80.2%	61.5%	64.7%	79.8%	41.4%	4.7%	84.6%	53.3%	89.5%
	Self	10-11	7.0%	56.0%	12.8%	0.3%	7.7%	7.1%	31.7%	19.7%	57.5%	90.3%	8.6%	37.3%	5.1%
	NHS*		34.2%	27.7%	3.5%	5.9%	10.2%	30.7%	2.4%	0.2%	0.8%	4.7%	6.2%	8.1%	1.7%
	Other		0.6%	2.1%	0.5%	0.4%	1.9%	0.7%	1.2%	0.3%	0.2%	0.3%	0.5%	1.4%	3.7%
Dropout between access and referral	09-10	44%	36%	50%	53%	43%	53%	2%	60%	42%	26%	42%	33%	3%	
	10-11	37%	34%	47%	16%	46%	36%	7%	56%	38%	28%	42%	28%	11%	
Episodes with no referral date	N	76	311	675	77	105		21	11		34	265	437		
	%	0.4%	2.4%	1.5%	0.5%	0.4%		0.2%	0.1%		0.8%	2.0%	2.9%		
Time from referral to first clinical contact (mean days)	09-10	54	51	94	36	43	59	17	51	34	28	40	27	15	
	10-11	55	57	43	55	37	55	38	39	55	27	34	57	33	
Time from first to second clinical contact (Mean days)	09-10	58	59	51	36	82	51	22	30	81	52	51	62	24	
	10-11	37	36	62	17	52	31	15	74	20	28	31	28	15	
Time in therapy (mean days)	09-10	31	70	43	86	38	41	33	38	42	28	35	44	28	
	10-11	49	57	43	45	66	41	22	41	80	50	50	57	22	

*(09-10) Of the 38% of referrals in Devon and the 18% of referrals in Torbay that are coded as from the NHS, 86% and 84% respectively were from the Mental Wellbeing & Access Team (MW&A); (10-11) Of the 34% of referrals in Devon and the 32% of referrals in Torbay coded as from the NHS, 84% and 89% respectively were from the MW&A. Of the 30% of referrals in Gloucestershire coded as from the NHS, 82% were from the Primary Mental Health Service.

²Referrals in SW and WI are signposted by GPs, as in BP, but are coded differently, leading to differing proportions of 'self' and 'GP' coded referrals.

^xData provided meant that the number of re-referrals was unable to be calculated

Table 4: Baseline measures of outcome measures

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW
PHQ-9 (m.,s.d.)		13.8	15.0	14.1	14.8	14.6	14.5	13.6	15.2	13.6	14.7	14.0	14.4	13.8
		6.7	6.6	6.8	6.5	6.9	6.8	6.7	6.4	6.2	6.7	6.8	6.8	6.7
GAD-7(m.,s.d.)	09-10	12.4	13.2	12.5	12.2	12.9	13.1	12.0	12.6	13.0	12.7	12.4	12.9	12.3
		5.6	5.3	5.8	5.6	5.7	5.4	5.6	5.2	5.0	5.6	5.7	5.6	5.6
WSAS (m.,s.d.)		17.4	20.8	16.2	16.2	17.5	17.0	15.8	20.4	18.6	19.8	15.6	16.9	16.4
		9.7	9.9	9.4	9.4	9.8	9.3	8.9	9.3	9.0	9.9	9.1	9.6	9.4
PHQ-9 (m.,s.d.)		13.8	14.8	14.5	14.5	13.7	15.4	13.5	14.2	13.4	14.3	14.4	14.1	13.6
		6.7	6.8	6.8	6.6	6.8	6.7	6.8	6.6	6.5	6.6	6.7	6.8	6.7
GAD-7(m.,s.d.)	10-11	12.4	13.1	12.9	12.7	12.3	13.5	11.7	12.5	13.0	12.5	12.6	12.7	12.1
		5.5	5.5	5.7	5.4	5.6	5.4	5.6	5.4	5.0	5.5	5.6	5.5	5.7
WSAS (m.,s.d.)		17.5	20.2	16.5	17.0	17.8	18.8	16.0	19.5	18.7	19.0	16.7	16.3	16.0
		9.6	9.9	9.3	9.3	10.2	9.8	9.4	9.2	8.9	9.8	9.2	9.5	9.5
Proportion of patients above threshold on one or both of PHQ-9 and GAD-7	09-10	85%	90%	83%	84%	85%	86%	81%	87%	89%	86%	83%	87%	83%
	10-11	84%	86%	85%	87%	83%	88%	80%	86%	87%	86%	85%	85%	82%

Table 5: Summary of key indicators in October 2009 - 2010 & October 2010 – 2011 (first clinical contact to end)

			DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW	
Number of contacts per episode of care	Mean	09-10	6	5	6	4	7	6	3	3	7	5	4	5	3	
	(no of patients)		3787	3537	2836	3200	1209	889	6289	2276	781	4514	9235	5332	3756	
	Mean	10-11	5	4	4	3	5	4	2	4	6	5	4	4	2	
	(no of patients)		5263	3449	2954	4706	2059	1341	7373	2913	1076	4341	9342	5825	4653	
Pathway	Stratified ¹	09-10	39%	71%	62%	43%	44%	49%	34%	32%	82%	69%	64%	62%	36%	
	Sideways ²		5%	6%	10%	4%	8%	3%	7%	4%	2%	6%	7%	9%	10%	
	Stepped ³		7%	15%	18%	5%	21%	8%	5%	10%	6%	22%	25%	28%	6%	
	Unspecified ⁴		48%	7%	11%	48%	28%	40%	54%	53%	10%	3%	4%	2%	48%	
	First to last recorded treatment	Stratified	10-11	39%	74%	60%	73%	68%	63%	50%	63%	83%	69%	66%	64%	48%
		Sideways		2%	7%	19%	9%	5%	0%	10%	18%	3%	5%	5%	7%	8%
		Stepped		17%	17%	17%	11%	15%	6%	16%	13%	6%	18%	25%	28%	24%
		Unspecified		43%	2%	3%	7%	11%	31%	25%	6%	7%	8%	4%	1%	20%

¹ Stratified = no change in treatment between first and last recorded clinical contacts

² Sideways = movement within same step (e.g. High Intensity CBT to Counselling within Step 3)

³ Stratified = movement from low intensity to high intensity treatment (Step 2 to Step 3) or vice versa

⁴ Unspecified = one of 1st, 2nd or final contact has no treatment information so movement within episode of care is unknown with current dataset

Table 6: Number and proportion of episodes with two or more sessions of all that have gained access

			DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW
Episodes with 2 or more sessions	09-10	%	74%	62%	71%	57%	85%	70%	46%	50%	82%	69%	71%	72%	51%
		N	2821	2184	2008	1838	1024	619	2881	1134	644	3108	6542	3852	1908
	10-11	%	72%	61%	60%	51%	77%	65%	40%	56%	82%	66%	68%	71%	43%
		N	3799	2103	1763	2422	1586	869	2946	1644	880	2845	6362	4115	2020
Episodes with 2 or more sessions that have closed (patient no longer in service)	09-10	%	73%	61%	66%	55%	82%	66%	45%	48%	82%	69%	70%	71%	50%
		N	2748	2171	1865	1759	994	591	2818	1091	642	3101	6490	3799	1879
	10-11	%	51%	44%	34%	34%	48%	44%	29%	37%	74%	51%	52%	52%	33%
		N	2704	1510	993	1578	979	584	2149	1080	793	2218	4899	3022	1533
Episodes with 2 or more sessions that have an agreed ending between patient and therapist	09-10	%	53%	48%	47%	34%	54%	46%	9%	22%	68%	54%	47%	46%	9%
		N	2005	1682	1342	1098	650	407	596	508	528	2435	4329	2440	347
	10-11	%	34%	32%	23%	23%	32%	24%	6%	24%	61%	41%	34%	34%	7%
		N	1806	1091	689	1091	650	328	453	685	652	1771	3206	1974	338

Table 7: Summary of Outcomes in October 2009 - 2010 & October 2010 – 2011

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW	
Recovery % number	09-10	37%	40%	32%	27%	34%	37%	31%	29%	48%	45%	41%	43%	32%	
		1019	862	590	478	339	220	866	318	311	1391	2648	1624	603	
	10-11	40%	36%	31%	39%	34%	32%	36%	31%	46%	50%	42%	43%	37%	
		1081	549	310	613	331	185	780	330	364	1098	2038	1307	573	
Recovery per estimated prevalence	09-10	1.22%	1.24%	1.59%	0.87%	1.26%	1.16%	1.88%	0.47%	1.52%	3.24%	4.45%	3.80%	2.31%	
	10-11	1.30%	0.80%	0.82%	1.12%	1.23%	0.97%	1.68%	0.49%	1.71%	2.54%	3.41%	3.04%	2.18%	
Minimum clinically important difference	09-10	PHQ	47%	53%	46%	40%	47%	47%	45%	44%	54%	57%	53%	55%	44%
		GAD	48%	49%	40%	53%	44%	47%	46%	44%	54%	59%	54%	54%	45%
		Both	52%	56%	49%	42%	50%	52%	47%	45%	64%	58%	55%	59%	49%
		WSAS	35%	45%	33%	18%	36%	31%	31%	34%	46%	48%	35%	43%	31%
	10-11	PHQ	52%	55%	47%	55%	49%	49%	49%	47%	64%	61%	56%	58%	49%
		GAD	38%	43%	36%	32%	37%	37%	34%	32%	45%	46%	43%	46%	34%
		Both	39%	41%	32%	42%	36%	36%	35%	34%	47%	49%	43%	45%	33%
		WSAS	35%	41%	27%	38%	40%	36%	33%	32%	45%	47%	38%	40%	32%
Average change in scores	09-10	PHQ	-4.71	-5.55	-4.42	-3.78	-4.69	-4.86	-4.28	-4.25	-5.81	-6.23	-5.60	-5.95	-4.28
		GAD	-4.31	-4.98	-4.00	-3.21	-4.30	-4.60	-3.67	-3.40	-5.70	-5.29	-4.91	-5.31	-3.88
		WSAS	-4.54	-6.21	-4.36	-1.27	-4.66	-4.21	-3.68	-4.00	-6.99	-7.34	-5.01	-6.64	-3.08
	10-11	PHQ	-4.91	-5.20	-4.08	-5.22	-4.13	-4.80	-4.63	-4.07	-5.66	-6.45	-5.86	-5.55	-4.60
		GAD	-4.54	-4.64	-3.85	-4.54	-3.85	-4.01	-3.92	-3.56	-5.77	-5.69	-5.04	-5.15	-4.00
		WSAS	-4.98	-6.00	-3.55	-5.02	-5.82	-4.86	-4.52	-4.41	-7.20	-7.26	-5.52	-5.91	-3.97

Table 8: Proportion of patients remaining above threshold of either PHQ or GAD by therapy type at last session

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW
Low CBT	09-10	44%	44%	49%	43%	39%	53%	58%	56%	27%	36%	39%	45%	67%
		371	389	247	99	66	60	271	95	68	359	1113	563	181
	10-11	40%	46%	54%	45%	43%	54%	51%	55%	35%	36%	38%	42%	49%
		528	335	237	194	106	208	278	212	138	274	870	509	96
Group	09-10	48%	57%	56%	56%	59%	38%	48%	48%	38%	42%	45%	47%	48%
		235	208	195	51	48	36	393	53	53	158	169	124	316
	10-11	43%	50%	50%	47%	46%	64%	39%	54%	42%	43%	41%	50%	41%
		108	155	171	164	95	9	268	209	72	98	77	101	253
Counselling	09-10	57%	51%	51%	50%	51%		67%	67%		38%	51%	42%	53%
		4	53	282	194	153		72	2		162	633	466	42
	10-11	0%	49%	56%	54%	47%		56%	67%	33%	35%	50%	41%	51%
		0	34	51	234	123		201	10	1	128	628	283	188
EMDR	09-10	52%	57%	63%		60%	33%					39%		
		12	4	5		30	3					17		
	10-11	44%	64%	100%		62%	43%					42%		
		19	7	6		18	6					13		
High CBT	09-10	53%	55%	60%	55%	53%	47%	53%	56%	58%	54%	53%	52%	48%
		414	386	177	141	180	122	67	125	118	668	904	578	43
	10-11	49%	62%	61%	60%	65%	69%	36%	57%	54%	49%	58%	49%	40%
		210	234	53	188	138	58	15	144	100	392	532	430	17
Unspecified	09-10	56%	68%	50%	68%	59%	60%	53%	67%	38%	61%	46%	41%	50%
		331	63	78	537	33	70	683	391	17	42	104	18	396
	10-11	58%	65%	64%	45%	50%	67%	45%	70%	36%	50%	55%	38%	44%
		378	11	18	23	11	60	233	30	16	31	96	9	140

Table 9: Overall episodes with one session only

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW
09-10	% 1 session	14%	24%	14%	20%	9%	14%	53%	20%	10%	23%	17%	18%	48%
	number	966	1353	828	1362	185	270	3408	1142	137	1406	2693	1480	1848
Agreed end	%	57%	57%	51%	44%	33%	23%	40%	27%	66%	33%	40%	31%	36%
	number	552	769	425	593	61	63	1362	312	90	468	1086	459	672
Did not attend	%	37%	34%	46%	26%	61%	56%	60%	17%	33%	22%	40%	45%	64%
	number	356	455	377	351	113	152	2045	198	45	313	1066	662	1176
Referred on	%	6%	8%	2%	3%	5%	20%	0%	3%	0%	44%	17%	22%	0%
	number	55	105	15	43	10	55	1	32	0	622	466	329	0
Unknown	%	0%	0%	0%	6%	0%	0%	0%	1%	0%	0%	1%	0%	0%
	number				75				6			29		
On going	%	0%	2%	1%	22%	1%	0%	0%	52%	1%	0%	2%	2%	0%
	number	3	24	11	300	1			594	2	3	46	30	
10-11	% 1 session	18%	26%	21%	41%	12%	22%	56%	19%	11%	25%	18%	21%	50%
	number	1464	1346	1191	2284	473	472	4427	1269	196	1496	2980	1710	2633
Agreed end	%	42%	51%	35%	38%	30%	23%	2%	25%	75%	38%	32%	30%	2%
	number	618	680	417	863	142	110	67	315	147	564	945	518	49
Did not attend	%	24%	31%	23%	45%	32%	28%	87%	18%	20%	17%	30%	28%	85%
	number	357	419	279	1020	149	134	3835	233	39	261	884	479	2233
Referred on	%	24%	4%	4%	10%	5%	27%	0%	7%	0%	42%	24%	22%	0%
	number	353	50	48	222	22	126	3	94	0	629	704	371	1
Unknown	%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
	number											21		
On going	%	9%	15%	38%	8%	34%	22%	12%	49%	5%	3%	14%	20%	13%

	DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW	
number	136	197	447	179	160	102	522	627	10	42	426	342	350	
% above threshold	78%	88%	79%	81%	80%	84%	79%	84%	92%	77%	76%	81%	81%	
09-10	Agreed end	53%	55%	46%	39%	31%	22%	40%	24%	67%	27%	34%	27%	37%
	Did not attend	41%	35%	51%	29%	61%	55%	60%	18%	32%	26%	44%	49%	63%
	Referred on	6%	8%	2%	4%	7%	23%	0%	3%	0%	46%	19%	22%	0%
	Unknown	0%	0%	0%	6%	0%	0%	0%	1%	0%	0%	1%	0%	0%
	On going	0%	2%	1%	22%	1%	0%	0%	54%	2%	0%	2%	2%	0%
	% above threshold	80%	84%	82%	82%	83%	87%	78%	84%	86%	79%	79%	80%	80%
10-11	Agreed end	36%	48%	32%	31%	27%	20%	1%	22%	76%	33%	26%	25%	1%
	Did not attend	27%	33%	24%	50%	34%	30%	87%	19%	19%	21%	33%	31%	84%
	Referred on	27%	4%	5%	11%	5%	28%	0%	7%	0%	43%	24%	23%	0%
	Unknown	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
	On going	10%	15%	39%	9%	34%	23%	12%	51%	5%	3%	16%	21%	15%

Table 10: Overall pathways to last clinical contact

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW
Low CBT	stratified	73%	74%	89%	8%	84%	67%	57%	40%	61%	15%	43%	30%	17%
	stepped	0%	1%	4%	1%	4%	3%	4%	2%	1%	2%	0%	1%	1%
	sideways	1%	0%	1%	4%	1%	1%	9%	0%	1%	9%	18%	17%	0%
	unspecified	26%	26%	6%	87%	10%	30%	29%	58%	37%	74%	39%	53%	82%
	stratified	57%	70%	96%	20%	93%	82%	80%	37%	55%	16%	28%	46%	21%
	stepped	1%	1%	2%	1%	3%	1%	1%	3%	2%	2%	37%	16%	1%
	sideways	1%	5%	1%	1%	1%	1%	5%	2%	1%	0%	18%	14%	0%
	unspecified	42%	24%	2%	78%	3%	17%	14%	59%	42%	82%	17%	24%	78%
Group	stratified	30%	31%	70%	34%	17%	45%	48%	39%	19%	80%	50%	55%	20%
	stepped	1%	2%	4%	0%	12%	3%	7%	5%	26%	0%	0%	1%	2%
	sideways	37%	34%	25%	2%	55%	25%	22%	11%	30%	0%	17%	11%	2%
	unspecified	33%	34%	1%	64%	17%	27%	24%	45%	26%	20%	33%	33%	76%
	stratified	24%	38%	62%	23%	29%	61%	33%	20%	73%	64%	48%	53%	8%
	stepped	0%	6%	4%	1%	24%	4%	2%	4%	5%	0%	32%	17%	5%
	sideways	34%	38%	29%	2%	46%	29%	52%	23%	8%	0%	10%	15%	10%
	unspecified	43%	18%	5%	74%	1%	6%	13%	53%	14%	36%	10%	16%	77%
Counselling	stratified	12%	17%	31%	14%	36%	28%	50%	37%	38%		3%	4%	
	stepped	31%	67%	46%	0%	40%	28%	22%	6%	23%		43%	34%	
	sideways	0%	0%	12%	0%	9%	12%	3%	6%	5%		0%	0%	
	unspecified	56%	17%	10%	86%	14%	32%	25%	52%	35%		53%	62%	
	stratified	6%	39%	44%	0%	35%	50%	23%	27%	55%		70%	60%	71%
	stepped	23%	39%	44%	0%	49%	29%	50%	13%	18%		17%	22%	14%
	sideways	1%	5%	5%	0%	11%	11%	0%	5%	3%		0%	0%	14%

		DE	GL	PL	SO	SG	TO	WI	BR	BA	BP	CI	DO	SW	
EMDR	unspecified	70%	18%	6%	100%	5%	10%	27%	56%	23%		13%	18%	0%	
	stratified			2%	0%		13%	13%		40%	30%				
	stepped	09-10		48%	0%		25%	25%		10%	10%				
	sideways		41%	3%		25%	38%		18%	10%					
	unspecified		9%	97%		38%	25%		32%	50%					
	stratified			21%	2%		13%	18%		43%	14%				
	stepped	10-11		43%	4%		47%	45%		8%	0%				
	sideways		26%	2%		22%	27%		5%	0%					
	unspecified		10%	92%		19%	9%		43%	86%					
	High CBT	stratified	2%	26%	38%	12%	43%	35%	35%	37%	36%	19%	11%	3%	19%
stepped		09-10	39%	35%	47%	6%	40%	31%	35%	8%	30%	9%	42%	37%	6%
sideways			1%	0%	6%	0%	2%	0%	4%	3%	5%	0%	0%	0%	0%
unspecified			57%	39%	9%	82%	14%	33%	25%	52%	28%	71%	48%	59%	74%
stratified			6%	48%	35%	4%	59%	35%	18%	23%	24%	5%	20%	21%	27%
stepped		10-11	26%	30%	53%	8%	36%	46%	64%	18%	25%	5%	21%	26%	7%
sideways			0%	0%	8%	0%	2%	1%	2%	5%	7%	0%	43%	25%	0%
unspecified			67%	21%	4%	88%	3%	17%	15%	54%	43%	90%	16%	28%	66%